L Number	Hits	Search Text	DB	Time stamp
number ::	9215	((257/662) or (257/664) or (257/275) or (257/211) or (257/690) or (257/691) or (257/692) or (257/693) or (333/26) or (333/32) or (333/33) or (333/81) or (333/116) or (333/124) or (333/204)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM_TIB	2003/05/11 16:42
2	, 23	(((257/662) or (257/664) or (257/275) or (257/211) or (257/690) or (257/691) or (257/692) or (257/658) or (333/26) or (333/32) or (333/33) or (333/81) or (333/116) or (333/124) or (333/204)).CCLS.) and impedance near12 (slit or hole or through-hole or aperture) near12 (ground or signal) and	USFAT; US-PGPUB; EPC; JPO; DEFWENT; IBM_TIB	2003/05/11 18:43
3	2	microstrip.ti,ab,clm. jp-11177247\$-\$.did.	USPAT; US-PGFUB; EPC; JPO; DEPWENT; !IBM TDB	: ::::::::::::::::::::::::::::::::::::
4	;	<pre>jp-0936504\$-\$.did.</pre>	USFAT; US-PGFUB; EPO; JPO; DEPWENT; IBM TIB	003/05/11 18:49
5	2	jp-09036504\$-\$.did.	USFAT; US-PGPUB; EPG; JPO; DEPWENT; IBM TDB	2003/05/11 18:55
6	0	jp-090291216\$-\$.did.	USFAT; US-PGPUB; EPO; JPO; DEPWENT; IBM TDB	2003/05/11
7	U	jp-060231216\$-\$.did.	USFAT; US-PGPUB; EPG; JPO; DEFWENT; IBM TDB	2003/05/11 18:53
8	1	jp-06291216\$-\$.did.	USPAT; US-PGPUB; EPC; JPO; DEPWENT;	2003/05/11 19:26
9	2	jp-05343820\$-\$.did.	IBM_TDB USFAT; US-PGPUB; EPG; JPO; DEPWENT;	2003/05/11 18:56
10	2	jp-05267913\$-\$.did.	IBM_TDB USFAT; US-PGPUB; EPO; JPO; DEPWENT;	2003/05/11 18:56
11	·	jp-05136597\$-\$.did.	IBM_TDB USPAT; US-PGPUB; EPC; JPO; DEPWENT;	2003/05/11
12		jp-62047163\$-\$.did.	IBM_TDB USFAT; US-PGPUB; EPC; JPO; DEPWENT;	2003/05/11 19:37
13		(("5793263") or ("3925740") or ("3659228") or ("5852391") or ("6509809")).PN.	IBM_TDB USPAT	2003/05/11 19:39

-	1	15	((("257/662") or ("257/664") or ("257/275") or ("257/758") or ("257/211") or ("257/690") or ("257/691") or ("257/692")).CCLS.) and ((hole or aperture or gap) near15 ((signal or	USPAT; US-PGPUB; EPO; JPO; DEFWENT; IBM TDB	2003/05/11 12:40
-	ļ	27	transmission) adj2 line)) near15 (capacitance or impedance or signal adj speed or propagation adj speed) ((("257/662") or ("257/664") or	USFAT; US-PGPUB;	2002/02/08
	Ţ		or ("257/690") or ("257/691") or ("257/692")).CCLS.) and (hole or through-hole) nearl5 (transmission or signal) adj2 line and (impedance or capacitance)	EPC; JPO; DEPWENT; IBM_TDB	
_	1	2	(("JP-5166965") or ("4896194")).PN.	USFAT; US-PGPUB; EPO; JPO; DEPWENT;	2002/02/08
		Į.		IBM TDB	
-	T	51	(((257/662) or (257/664) or (257/275) or (257/758) or (257/211) or (257/690) or (257/691) or (257/692)).CCLS.) and	USPĀT; US-PGPUB; EPO; JPO;	2002/07/18
	Ť	1	((ground adj plate or signal adj line) nearl2 (hole or through-hole or slit))	DEPWENT; IBM TDB	
-		2	(((257/662) or (257/664) or (257/275) or (257/758) or (257/211) or (257/690) or	USPAT; US-PGPUB;	2002/07/18
			(257/691) or (257/692)).CCLS.) and ((ground adj plate or signal adj line) near12 (hole or through-hole or slit))	EPO; JPO; DEPWENT; IBM TDB	12.33
	İ	0	nearl2 impedance (hole or through-hole) near6 ground adj	USFAT;	2002/10/29
			plate near6 impedance	US-PGPUB; EPO; JPO; DEPWENT;	08:05
-	; 	20	(hole or through-hole) near12 ground adj (plane or plate) near12 impedance	IBM_TDB USFAT; US-PGPUB; EPO; JPO;	0002/10/29 08:05
İ				DEPWENT; IBM TDB	
_		11	<pre>(hole or through-hole) near6 ground adj (plane or plate) near6 impedance</pre>	USFAT; US-PGPUB; EPC; JPO;	2002/10/29 08:06
				DEPWENT; IBM_TDB	İ
_		21	(die or chip) nearl architecture.ti,ab. and 257/\$6.ccls.	USFAT; US-PGPUB; EPO; JPO; DEPWENT;	2002/10/29
-	1	2	("6111289").PN.	IBM_TDB USFAT;	2002/10/30
		ļ		US PGPUB; EPO; JPO; DEPWENT; IBM TDB	10:05
-		81	overlap near3 gate near3 drain near3 channel	USFAT; US-PGPUB; EPO; JPO;	2002/10/30
•	j	į		DEPWENT; IBM TDB	
· –		9	overlap near3 gate near3 drift adj region		2002/10/30 11:25
				DEPWENT; IBM_TDB	İ.

-	9	(((257/288) or (257/335) or (257/337) or (257/337) or (257/337) or (257/339) or (257/348) or (257/392) or (257/341) or (257/342) or (257/343) or (257/344) or (257/345) or (257/401) or (257/402)).CCLS.) and (strip or column or row) near15 drift	USPAT; US-PGPUB; EPG; JPO; DEPWENT; IBM_TDB	2002/10/30 13:44
-		(((257/288) or (257/335) or (257/337) or (257/337) or (257/337) or (257/339) or (257/348) or (257/392) or (257/341) or (257/342) or (257/343) or (257/344) or (257/345) or (257/401) or (257/402)).CCLS.) and everlap\$4 near12 gate near12 drift	USFAT; US-PGPUB; EPG; JPO; DEPWENT; IBM_TDB	2002/10/30
-	58   	((257/328).CCLS.) and overlap\$4 near12 gate	USFAT; US-PGPUB; EPG; JPO; DEFWENT; IBM TDB	2002/10/30 14:21
-	0	lateral adj dmosfet.ti. and resurf.ti,ab.	USFAT; US-PGPUB; EPO; JPO; DEFWENT; IBM TDB	2002/10/30
-	0	lateral adj dmosfet.ti,ab. and resurf.ti,ab.	USPAT; US-PGPUB; EPG; JPO; DEPWENT; IBM TDB	2002/10/30
-	0	lateral adj dmosfet.ti,ab. and resurf	USFAT;	2002/10/30
-	3	lateral adj dmosfet.ti,ab.	USFAT; US-PGPUB; EPC; JPO; DEPWENT; IBM TDB	2002/10/30
-	1	lateral adj mosfet.ti,ab. and 257/342.ccls.	USPĀT; US-PGPUB	2002/10/30
_		lateral adj mosfet.ti,ab. and 257/3\$5.ccls. lateral adj mosfet.ti,ab. and	USFAT; US-PGPUB USFAT	2002/10/30 15:06 2002/10/30
=	0	257/3\$5.ccls. lateral adj mosfet.ti,ab. same resurf	USPAT	15:19 2002/10/30
_	5	lateral adj mosfet same resurf	USFAT	15:20 2002/10/30 +15:25
-	25	resurf.ti.	USFAT	2002/10/30 15:51
-	132	(257/338).CCLs.	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM TDB	2002/10/30
-		"L29" and drift same gate and lateral and (row or column)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	::00::/10/30 15:55
-	. 0	"L29" and drift same gate and (row or column)	USFAT; US PGPUB; EPO; JPO; DEPWENT; IBM TDB	2002/10/30 15:56
_	11 i	((257/401).CCLS.) and drift same gate and (row or column)		2002/10/30 15:56

30	(((257/662) or (257/664) or (257/275) or (257/758) or (257/211) or (257/690) or (257/691) or (257/692)).CCLS.) and transmission adj line and microstrip and impedance and capacitance and (opening or hole)	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM_TDB	2002/11/27 11:28
40	((((257/690)) or (257/692)) or (257/691)).CCLS.) or 333/\$6.ccls.) and transmission adj line and (microstrip or microstripline) and capacitance and (impedance or resistance or conductance)	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM_TDB	2002/11/26
34	near15 (opening or hole) (((((257/690) or (257/692) or (257/691)).CCLS.) or 333/\$6.ccls.) and transmission adj line and (microstrip or microstripline) and capacitance and (impedance or resistance or conductance) near15 (opening or hole)) not ((((257/662) or (257/664) or (257/275) or	USFAT; US-PGPUB; EPC; JPO; DEPWENT; IBM_TDB	2002/11/26
1	(257/758) or (257/211) or (257/690) or (257/691) or (257/692)).CCLS.) and transmission adj line and microstrip and impedance and capacitance and (opening or hole))		2002 (11 (27
	(((333/81A) or (333/116) or (333/124) or (333/204)).CCLS.) and hole near12 (impedance or resistance) near12 capacitance	USPAT; US-PGPUB; EPC; JPO; DEPWENT; IBM_TDB	09:02
1	(:(333/81A) or (333/116) or (333/124) or (333/204)).CCLS.) and (opening or hole) near12 (impedance or resistance) near12 capacitance	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM TDB	0000/11/27
87	((333/81A).CCLS.) and (opening or through-hole or hole)	USFAT; US-PGPUB; EPG; JPO; DEFWENT; IBM TDB	2002/11/27
3	((333/124).CCLS.) and (hole or through-hole or opening) and (microstripline or micro-stripline or micro adj stripline or micro adj strip adj line or microstrip adj line or microstrip adj line or microstrip-line)	USPAT; US-PGPUB; EPC; JPO; DEPWENT; IBM_TDB	2002/11/27
96	((333/204).CCLs.) and (hole or through-hole or opening) and (microstripline or micro-stripline or micro adj stripline or micro adj stripline or microstrip adj line or microstrip-line)	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM_TDB	2002/11/27
31	((333/204).CCLS.) and (hole or through-hole or opening or cavity) near15 microstrip	USPAT; US-PGPUB; EPG; JPO; DEPWENT; IBM TDB	2002/11/27   11:08
46	(257/758) or (257/211) or (257/690) or (257/691) or (257/692)).CCLS.) and (microstrip or micro-strip or micro-strip or	USFAT; US-PGPUB; EPC; JPO; DEPWENT; IBM_TDB	2002/11/27
60	micro-stripline) near15 (opening or hole or through-hole or cavity) (((257/662) or (257/664) or (257/275) or (257/758) or (257/691) or (257/691) or (257/692)).CCLS.) and (microstrip or micro-strip or micro-stripline or micro-strip or micro-stripline) near15 (opening or hole or through-hole or cavity or slot)	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM_TDB	2002/11/27 15:00

-	2	jp-52002172\$-\$.did.	USPAT; US-PGPUB;	2002/11/27 :15:08	
			EPO; JPO;		
			DEPWENT;		
	1		IBM_TDB	1 0000 (11 (07	
-	0	slot-coupled adj feed and microstrip		12002/11/27	
			US-PGPUB;	15:11	
			EPO; JPO; DEPWENT;		
			IBM TDB	1	
_	0	slot-coupled adj feed and transmission	USFAT:	2002/11/27	
	Ţ	adj line	US-PGPUB;	15:11	
			EPO; JPO;		
			DEFWENT;		
			IBM_TDB	5006/11/67	
-	17	slotted adj microstrip	USFAT;	2002/11/27	
	1		US-PGPUB; EPO; JPO;	16:21	
			DEPWENT;		
			IBM TDB		
-	1	slotted adj microstrip adj line	USFAT;	2002/11/27	
			US-PGPUB;	16:28	
			EPO; JPO;		
			DEPWENT;		
	1		IBM_TDB	U0000 /11 /07	
-		slotted adj (microstrip adj line or microstripline)	USFAT; US-PGPUB;	∤ 0000/11/07 16:30	
	4	microstriprine)	EPO; JPO;	10.30	
	1		DEPWENT;		
			IBM TDB		
_	26	(slotted or slot or opening or hole or	USFAT;	2002/11/27	
		through-hole) adj (microstrip adj line or	US-PGPUB;	16:31	
	i	microstripline)	EPO; JPO;		
	1		DEPWENT;		
_	12	(slotted or slot or opening or hole or	IBM_TDB USPAT;	2002/11/37	
_	1.42	through-hole) adj (microstrip adj line or	US-PGPUB;	16:31	
		microstripline).ti,ab,clm.	EPO; JPO;		
			DEPWENT;	i	
			IBM_TDB		
-	34	(US-6160313-\$ or US-5962926-\$ or	USPAT;	2002/11/27	
		US-5666009-\$ or US-4383226-\$ or	US-PGPUB;	16:43	
		US-5801599-\$ or US-4896194-\$ or US-5739560-\$ or US-5744858-\$ or	JPO; DEPWENT		
		US-4879588-\$ or US-5185650-\$ or	DEL.WEIVE		
		US-6437431-\$ or US-5304819-\$ or	1		
		US-5117277-\$ or US-3869787-\$ or	İ		
		US-6455880-\$ or US-5986521-\$ or			
		.US-5894154-\$ or US-6066878-\$ or			
		US-6229180-\$ or US-5903239-\$ or			
		US-3784883-\$ or US-4875087-\$ or US-5352998-\$ or US-6344667-\$ or			
		US-6441471-\$ or US-5294824-\$).did. or	!		
	•	(US-20010038146-\$).did. or (JP-05166965-\$		į	
		or JP-06120711-\$ or JP-57129473-\$ or	<u>1</u>		
	1	JP-62293801-\$ or JP-05226497-\$).did. or	Į.		
		(JP-08335803-\$ or JP-60113502-\$).did.		L	

	34	((US-6160313-\$ or US-5962926-\$ or US-5666009-\$ or US-4383226-\$ or US-5801599-\$ or US-4896194-\$ or US-5739560-\$ or US-5744858-\$ or US-4879588-\$ or US-5185650-\$ or US-6437431-\$ or US-5304819-\$ or US-6117277-\$ or US-3869787-\$ or US-6455880-\$ or US-5986521-\$ or US-5894154-\$ or US-6066878-\$ or US-5894154-\$ or US-6066878-\$ or US-53784883-\$ or US-4875087-\$ or US-3784883-\$ or US-4875087-\$ or US-5352998-\$ or US-6344667-\$ or US-6441471-\$ or US-5294824-\$).did. or (US-20010038146-\$).did. or (JP-05166965-\$ or JP-06120711-\$ or JP-57129473-\$ or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 16:55
-	0	JP-62293801-\$ or JP-05226497-\$).did. or (JP-08335803-\$ or JP-60113502-\$).did.) bhattacharya.in. and shafai.in. and slot and impedance	USPAT; US-PGPUB; EPO; JPO; DEPWENT;	2002/11/27 16:56
-	0	bhattacharya.in. and shafai.in.	IBM_TDB USPAT; US-PGPUB; EPG; JPO;	2002/11/27
-	49	shafai.in.	DEFWENT; IBM_TDB USFAT; US-PGPUB; EPO; JPO; DEFWENT;	2002/11/27 16:56
-	0	shafai.in. and impedance and slot	IBM_TDB USFAT; US-PGPUB; EPC; JPO; DEPWENT;	2002/11/27 16:56
-	4	shafai.in. and slot	IBM_TDB USFAT; US-PGPUB; EPO; JPO; DEPWENT; IBM TDB	2002/11/27 19:13
_	193	integrated adj circuit and microstrip adj antenna	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM TDB	2002/11/27
-	50	integrated adj circuit and microstrip adj antenna and slot and ground adj (plane or plate)	USPAT; US-PGPUB; EPO; JPO; DEPWENT;	2002/11/27 17:04
-	32	integrated adj circuit and microstrip adj antenna and slot and ground adj (plane or plate) and impedance	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DEPWENT;	2002/11/27 17:04
_		integrated adj circuit and microstrip adj antenna and (slot with microstrip) and ground adj (plane or plate) and impedance	IBM_TDB USPAT; US-PGPUB; EPC; JPO; DEPWENT;	2002/11/27 17:96
_	3	semiconductor near6 integrated adj circuit and microstrip adj antenna and (slot with microstrip) and ground adj (plane or plate) and impedance	IBM_TDB USFAT; US-PGPUB; EPG; JPO; DERWENT; IBM_TDB	2002/11/27 17:13

-	0	semiconductor near6 integrated adj circuit and microstrip and scanning adj antenna	USPAT; US-PGPUB; EPO; JPO; DEPWENT;	2002/11/27
_	0	semiconductor near6 integrated adj	IBM_TDB USPAT;	2002/11/27
		circuit and scanning adj antenna	US-PGPUB; EPO; JPO; DEPWENT; IBM TDB	17:14
†	76 !	integrated adj circuit and scanning adj antenna	USFAT; US-PGPUB; EPO; JPO; DEPWENT;	2002/11/27
			IBM_TDB	0000/11/07
-	0	semiconductor and integrated adj circuit.ti,ab,clm. and scanning adj antenna.ti,ab,clm.	USPAT; US-PGPUB; EPC; JPO; DEPWENT;	2002/11/27
!			IBM_TDB	
-	18	semiconductor and integrated adj circuit and scanning adj antenna	USFAT; US-PGPUB; EPG; JPO;	2002/11/27
			DEPWENT; IBM_TDB	
-	0	scanning adj array adj antenna.ti,ab. and integrated.ti,ab.	US-PGPUB; EPC; JPO; DEPWENT;	0000/11/27   17:19
	19	scanning adj2 antenna.ti,ab. and integrated.ti,ab.	IBM_TDB USPAT; US-PGPUB; EPG; JPO; DEPWENT;	2002/11/27 17:20
-	1	scanning adj2 antenna.ti,ab. and integrated.ti,ab. and semiconductor	IBM_TDB   USFAT;   US-PGPUB;	2002/11/27
			EPO; JPO; DEPWENT;	
-	34	(US-5185650-\$ or US-6437431-\$ or US-5666009-\$ or US-5962926-\$ or	IBM_TDB USPAT; US-PGPUB;	2002/11/27
		US-6160313-\$ or US-4383226-\$ or US-5801599-\$ or US-4896194-\$ or US-5739560-\$ or US-5744858-\$ or	JPO; DERWENT	T.
· ·		US-4879588-\$ or US-5903239-\$ or   US-3784883-\$ or US-4875087-\$ or   US-5352998-\$ or US-6344667-\$ or	!	
		US-6441471-\$ or US-5294824-\$ or US-6229180-\$ or US-5894154-\$ or		
İ		US-5986521-\$ or US-6455880-\$ or   US-3869787-\$ or US-5117277-\$ or   US-5304819-\$ or US-6356173-\$).did. or		
		(US-20010038146-\$).did. or (JP-05166965-\$ or JP-62293801-\$ or JP-05226497-\$ or		
		JP-06120711-\$ or JP-57129473-\$).did. or (JP-08335803-\$ or JP-60113502-\$).did.		

	34	((US-5185650-\$ or US-6437431-\$ or US-5666009-\$ or US-5962926-\$ or US-6160313-\$ or US-4383226-\$ or US-5801599-\$ or US-4896194-\$ or US-5739560-\$ or US-5744858-\$ or US-4879588-\$ or US-4879588-\$ or US-3784883-\$ or US-4875087-\$ or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 18:44
		US-535:0998-\$ or US-6344667-\$ or US-6441471-\$ or US-5294824-\$ or US-6441471-\$ or US-5294824-\$ or US-6229180-\$ or US-5894154-\$ or US-5986521-\$ or US-6455880-\$ or US-3869787-\$ or US-53117277-\$ or US-5304819-\$ or US-6356173-\$).did. or (US-20010038146-\$).did. or (UP-05166965-\$ or JP-62293801-\$ or JP-05226497-\$ or JP-06120711-\$ or JP-57129473-\$).did. or (JP-08335803-\$ or JP-60113502-\$).did.)		
_	1	miyagı.in. and "10-050773"	JPO	2002/11/27
_		miyagı.in. and wiring adj board.ti.	JPO	2002/11/27
-	2	jp-11251490\$-\$.did.   ("4947178").PN.	JPO; DEFWENT USPAT;	2002/11/27 20:44 2002/11/27
i			US-PGPUB; EPO; JPO; DEPWENT; IBM_TDB	20:45
-	11342	microstrip.ti,ab,clm.	USFAT; US-PGPUB; EPO; JPO; DEPWENT; IBM TDB	2003/03/24
	475	microstrip.ti,ab,clm. and signal adj line	USFAT; US-PGPUB; EP(); JP();	2003/03/24
			DEPWENT; IBM TDB	İ
-	15	(microstrip.ti,ab,clm. and signal adj line) and ground adj plate	USPAT; US-PGPUB; EPG; JPO; DEFWENT; IBM TDB	2003/03/24 21:15
-	2	((microstrip.ti,ab,clm. and signal adj line) and ground adj plate) and (through-hole or through adj hole)	USFAT; US-PGPUB; EPC; JPO; DEPWENT;	2003/03/24
_	3	"6175297"	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DEPWENT;	::003/05/10 16:22
-	2	("6175287").PN.	IBM_TDB USPAT; US-PGPUB; EPC; JPO; DEPWENT;	2003/05/10
-	: 1	(("6175287").PN.) and signal adj line and (microstrip or microstripline)	IBM_TDB USFAT; US-PGPUB; EPC; JPO; DEPWENT;	2003/05/10 16:28
- : :	216	(through-hole or hole or opening) near12 (microstrip or microstripline) and impedance.ti,ab,clm.	IBM_TDB   USPAT;   US-PGPUB;   EPC; JPO;   DEPWENT;	2003/05/10 16:29
			_ IBM_TDB	

-	47	(through-hole or hole or opening) nearl2 (microstrip or microstripline) nearl2 impedance and impedance.ti,ab,clm.	USPAT; US-PGPUB; EPO; JPO;	2003/05/10 16:29
			DEPWENT;	
-	25	(through-hole or hole or opening) near6 (microstrip or microstripline) near6	IBM_TDB USPAT; US-PGPUB;	2003/05/10
		impedance and impedance.ti,ab,clm.	EPO; JPO; DEPWENT;	
			IBM_TDB	
	466		USFAT;	2003/05/10
	î	aperture	US-PGPUB; EPC; JPO; DEPWENT;	19:01
	i		IBM TDB	
	32	impedance adj matching.ti,ab,clm. and	USFAT;	12003/05/10
	1	microstrip.ti,ab,clm. and	US-PGPUB;	19:06
	•	aperture.ti,ab,clm.	EPO; JPO;	
		, ap - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	DEPWENT;	
	1		IBM TDB	
	24	impedance adj matching.ti,ab,clm. and	USFAT;	2003/05/10
		microstrip.ti,ab,clm. near6	US-PGPUB;	19:31
	į	slot.ti,ab,clm.	EPO; JPO;	
	ļ		DEPWENT;	
			IBM_TDB	0000105110
	0	F	USPAT;	2003/05/10
		aperture)	US-PGPUB;	19:31
			EPO; JPO; DEFWENT;	
		i 1	IBM TDB	
	47	impedance adj matching and	USPAT;	2003/05/10
	•	microstrip.ti,ab,clm. and plurality near6	US-PGPUB;	19:32
		(slot or aperture)	EPO; JPO;	
		•	DEPWENT;	
			IBM_TDB	
	12		USFAT;	2003/05/10
	!	microstrip.ti,ab,clm. and plurality near6	US-PGPUB;	19:32
		(slot or aperture)	EPO; JPO;	1
			DEPWENT;	
	11	impedance adj matching.ti,ab,clm. and	USPAT;	2003/05/10
	1.	microstrip.ti,ab,clm. and plurality near3	US-PGPUB;	19:37
		(slot or aperture)	EPO; JPO;	
			DEPWENT;	
			IBM_TDB	1.
	2	("6127901").PN.	USFAT;	2003/05/10
		1	US-PGPUB;	19:37
			EPO; JPO;	
			DEPWENT; IBM TDB	
	0	("pozar.in.").PN.	USPAT;	2003/05/11
		/ pozar-in. / ·iw.	US-PGPUB;	12:40
			EPG; JPO;	
			DEFWENT;	
			IBM_TDB	
	1.2	pozar.in.	USFAT;	2003/05/11
			US-PGPUB;	12:41
			EPO; JPO;	
	1		DEPWENT;	
	703	(333/26) CCIS	IBM_TDB USIAT;	2003/05/11
	103	(333/26).CCLS.	USPAT;	12:53
			EPO; JPO;	
			DEPWENT;	İ
			IBM TDB	
	904	(333/32).CCLS.	USFAT;	2003/05/11
	1		US-PGPUB;	12:54
			EPO; JPO;	I
			DERWENT;	1
			IBM TDB	

-		1304	(,,	USPAT; US-PGPUB;	2003/05/11 12:54	•
				EPO; JPO; DERWENT;		
				IBM TDB		5
-		1097	(333/204).CCLS.	USPĀT;	2003/05/11	
1				US-PGPUB;	12:54	!
				EPO; JPO;	1	
				DEPWENT;	1	
i		'		IBM_TDB		İ
_		3794	((333/26).CCLS.) or ((333/32).CCLS.) or	USPAT;	2003/05/11	
	0.10		((333/33).CCLS.) or ((333/204).CCLS.)	US-PGPUB;	12:54	3
				EPO; JPO;	İ	
				DEFWENT;	-	
1	ļ			IBM_TDB		
_		476	(((333/26).CCLS.) or ((333/32).CCLS.) or	USFAT;	2003/05/11	
1			((333/33).CCLS.) or ((333/204).CCLS.))	US-PGPUB;	12:55	1
İ			and (microstrip or microstripline) and	EPO; JPO;		
			(hole or through-hole or opening or	DEPWENT;	t .	
i	:		aperture)	IBM_TDB		
-		365	((((333/26).CCLS.) or ((333/32).CCLS.) or	USPAT;	1003/05/11	
			((333/33).CCLS.) or ((333/204).CCLS.))	US-PGPUB;	12:56	-
	İ		and (microstrip or microstripline) and	EPO; JPO;		
			(hole or through-hole or opening or	DEPWENT;		!
1			aperture)) and impedance	IBM_TDB	2222425444	
-	i	50	(((((333/26).CCLS.) or ((333/32).CCLS.)	USPAT;	2003/05/11	
			or ((333/33).CCLS.) or ((333/204).CCLS.))	US-PGPUB;	13:27	
	i		and (microstrip or microstripline) and	EPO; JPO;	ļ	
			(hole or through-hole or opening or	DEPWENT;		
1			aperture)) and impedance ) and signal	IBM_TDB	1	
			adj2 line and ground adj2 (plane or plate			
	ļ	_	or line)	USFAT	2003/05/11	
-		6	(US-5539361-\$ or US-5610563-\$ or US-3573670-\$ or US-3995239-\$ or	USFAI	13:27	
			US-4152680-\$ or US-4186352-\$).did.		.3.21	
_		2	·	USFAT;	2003/05/11	
! -		2	US-3573670-\$ or US-3995239-\$ or	US-PGPUB;	16:40	
			US-4152680-\$ or US-4186352-\$).did.) and	EPO; JPO;	, 10.10	j
1			impedance near12 (opening or hole or	DERWENT;	1	
	1		aperture) near12 (signal adj2 line or	IBM TDB		!
	1		ground)			i
						1